<u>Can</u> d	lidate:			Date:	
	2-1 & 2-2 Lost Firef	äghter D	rill		
No.	Task Steps	First	t Test	Ret	est
2.00	1 461 2 COPS	Pass	Fail	Pass	Fail
1.	Candidate recognizes that he/she is lost or disoriented (verbalizes to proctor).			_ = 55.5.2	
2.	Candidate notifies command on radio of situation,				
2.	using proper mayday procedure for their department.				
3.	PASS device is activated after mayday communication.				
4.	Candidate orients themselves to area, attempts egress.				
5.	Candidate maintains radio contact if possible, reports position, significant landmarks, and hazards.				
6.	Candidate reports any secondary egress/escape routes found. (Note: for the purpose of the drill, the proctor may				
	choose to recognize secondary egress/escape routes, then have the candidate proceed as if they did not exist)				
7.	Candidate monitors SCBA air supply, notifies command or rescue branch when necessary.				
8.	Candidate marks position by banging the wall, floor or other applicable surface when necessary.				
9.	 Candidate continues egress attempt until: Candidate reaches safe area. Rescuers find candidate and remove them to safe area. Candidate can proceed no further, and chooses to mark their position and report it to command. 				
RETE		RETEST			
	OVED BY:	EVALUATO	OR:		
	ling Criteria: All above task steps must b uator/Candidate Comments:	e complet	eu.		
		Overall S	Skill Shee	et Score	
	Evaluator Date	Pass	1	Fail	
		Overall S	Skill Shee	et Re-Test	Score
	Re-Test Evaluator Date	Pass	7	Fail 🗆	

Cand	idate:			_ Dat	te:		
	2-4 Wall Bro	each					
No.	Task Steps	First	Test	Ret	<u>est</u>		
		Pass	Fail	Pass	Fail		
1.	Suitable wall for breaching identified.						
2.	Tool used efficiently.						
3.	Secondary wall surface removed efficiently.						
4.	Entanglement hazards identified and removed.						
5.	Wall stud displaced as needed.						
6.	Movement through new opening negotiated.						
7.	Use of SCBA for breaching tool demonstrated (Optional).						
8.	SCBA mask seal maintained at all times.						
9.	All required low-profile SCBA maneuvers completed correctly.						
10.	SCBA re-donned and adjusted after removal.						
RETE APPR	ST OVED BY:	RETEST EVALUATO	R:				
	ing Criteria: All above task steps must b uator/Candidate Comments:						
-							
	Total Data	Overall S	kill Shee -				
	Evaluator Date		Pass Fail F				
		Overall S	kill Shee	t Re-Test	Score		
	Re-Test Evaluator Date	Pass Γ	7	Fail \square			

and					Dat	te:
	Sizes up egress opening. Lengthens SCBA waist strap. Removes SCBA waist strap, if appropriate. Loosens shoulder straps. Shifts SCBA down and under appropriate arm. Removes SCBA and secures for head or feet first egress. Maintains positive control of SCBA at all times. Maintains mask seal at all times. Transits egress opening while maintaining control of SCBA. Re-dons SCBA shoulder straps and adjust for fit. Re-dons SCBA waist strap and adjusts for fit.					
No.	Task Steps		First		Retest	
			Pass	Fail	Pass	Fail
1.	Sizes up egress opening.					
2.	Lengthens SCBA waist strap.					
3.	Removes SCBA waist strap, if app	ropriate.				
4.	Loosens shoulder straps.					
5.	Shifts SCBA down and under appr	ropriate arm.				
6.						
7.	Maintains positive control of SCB					
8.	Maintains mask seal at all times.					
9.		f				
10.	Re-dons SCBA shoulder straps and	d adjust for fit.	adjust for fit.			
11.	Re-dons SCBA waist strap and ad	justs for fit.				
RETE				D.		
APPK	OVED DY:		EVALUATO	r.		
	_	_	e complet			
	Evaluator	——————————————————————————————————————		kill Shee		
	Re-Test Evaluator	——————————————————————————————————————	Overall S	kill Shee	et Re-Test	t Score

and	idate:				_ Dat	te:		
	2-8 Lad	der Bail '	Гесhniq	ue				
No.	Task Steps		<u>Fi</u>	<u>rst Test</u>	Ret	<u>est</u>		
			Pass	Fail	Pass	Fail		
1.	Need for emergency ladder egress ide	ntified.						
2.	Low profile maintained during windo	w exit.						
3.								
4.	Slides left arm down the left ladder be fourth rung, never loosing contact with							
5.	Grasps the fourth rung and positions pivoting.							
6.	Bends legs at the knees and pivots low left and out of the window.	е						
7.	Swings lower body into contact with t	he ladder.						
8.	Places feet onto ladder, ensures four p	Places feet onto ladder, ensures four point contact.						
9.	Performs maneuver in controlled fash	nion.						
10.	Climbs down ladder – OR -							
11.	Performs ladder slide if conditions wa	ırrant						
RETE	ST		RETEST					
APPR	OVED BY:		EVALUA	EVALUATOR:				
	ing Criteria: All above task statements:							
			Overall	Skill She	et Score			
	Evaluator	Date	Pass Overall	Skill She	Fail Cet Re-Test	Scor		
	Re-Test Evaluator	Date	Pass		Fail 🗀			

and	idate:				Dat	te:	
	2–9 Window Ro	ll-Out	(OPTIO	NAL)			
No.	Task Steps		First	Test	Retest		
			Pass	Fail	Pass	Fail	
1.	Need for emergency egress is identified.						
2.	Window is completely cleared of glass and entanglements.						
3.	Outside arm and head are placed outside or window, arm maintaining contact with outside or window.						
4.	Outside leg and torso are positioned outside window.						
5.	Inside arm and leg maintain contact with it wall.	nside					
6.	Exposed body surface area is minimized.						
7.	Low profile is maintained at all times.						
	Conversion to Hang & Drop						
8.	Outside hand is moved back to windowsill.						
9.	Inside leg is moved to exterior, body is support both hands gripping the sill.	oorted by					
RETE			RETEST				
	OVED BY: ling Criteria: All above task steps		EVALUATOR:				
val	uator/Candidate Comments:						
			Overall S	kill Shee	t Score		
	Evaluator Da	_	Pass Coverall S	kill Shee	Fail Test	Scor	
	Re-Test Evaluator Da	${\mathrm{te}}$	Pass Γ	1	Fail \square		

Cand	idate:				_ Da	te:
	2-10 Emergency R	lappel	(OPTI	(ONAL)		
No.	Task Steps		Firs	st Test	Ret	<u>test</u>
			Pass	Fail	Pass	Fail
1.	Recognizes need for emergency egress.					
2.	Window is completely cleared of glass, entanglements and sharp edges.					
3.	Identifies adequate anchor point and anchors rope.	s escape				
4.	Rigs descent device and secures to escape bel	t.				
5.	Deploys rope bag.					
6.	Exits window keeping rope free from entangl	ements.				
7.	Maintains positive control of descent at all time	mes.				
8.	Low profile is maintained at all times.					
RETE	RETEST			I		
	^{OVED BY:} ling Criteria: All above task steps n		EVALUAT			
valı	uator/Candidate Comments:					
	Evaluator Date		verall ass [Skill She	et Score Fail \Box	
		—		Skill She	et Re-Test	t Score
	Re-Test Evaluator Date		ogg F		Foil 🗆	ı

and	idate:			_ Dat	te:		
	2-11 SCBA Confidence	e Course	Drill				
	Skill Objective 2-3 and 2-6 may be incorp	orated in thi	s skill evalı	ation.			
	m 1 0	II					
No.	Task Steps		t Test	Retest			
		Pass	Fail	Pass	Fail		
1.	Team integrity is maintained at all times.						
2.	Team members communicate with each other.						
3.	Hazards are identified and negotiated.						
4.	Secondary egress/escape routes identified.						
5.	SCBA integrity is maintained at all times.						
6.	Significant landmarks are marked and communicated between team members.						
7.	Identified escape route (such as hose line) secured and followed.						
8.	Radio communication established and maintained, if applicable.						
9.	All team members continue until complete team egress is achieved.						
RETE Appr		RETEST EVALUATO	RETEST EVALUATOR:				
	ing Criteria: All above task steps must b uator/Candidate Comments:	e complet	cu.				
		Overall S	skill Shee	et Score			
	Evaluator Date	Pass Overall S	Skill Shee	Fail C	Score		
	Re-Test Evaluator Date	Dass		Fail \Box			

and	idate:					_ Dat	te:	
	4-1 Approa	aching Dov	wne	ed Fire	fighter			
No.	Task Steps			<u>First Test</u>		Ret	$\underline{\mathbf{est}}$	
				Pass	Fail	Pass	Fail	
1.	Victim is located and identified.							
2.	Victim's body position identified.							
3.	Victim positioned for assessment	and removal.						
4.	Level of consciousness assessed.							
5.	SCBA air supply assessed.							
6.	SCBA mask seal and positive pre- assessed.							
7.	Supplemental air supply attached							
8.	Entanglement and trapping haza							
9.	Victim's condition communicated to IC or RIT group supervisor (LUNAR).							
10.	Actions for victim removal initiated (Victim removed if resources allow, defensible space created if immediate removal is not possible).							
11.	Items 1 – 6 completed in a timely							
RETE	ST			RETEST				
	OVED BY:			EVALUATOR:				
	ing Criteria: All above tas	_						
			(Overall S	Skill She	et Score		
	Evaluator	Date	_	Pass Dverall S	Skill She	Fail Cet Re-Test	Score	
	Re-Test Evaluator	 Date	.	Dass F		Fail \Box		

and	idate:					_ Dat	e:	
	4-2 and 4-	-3 Firefight	er	Rescue	Drags			
No.	Task Steps	•			Test	Ret		
				Pass	Fail	Pass	Fail	
1.	Victim positioned for removal.							
2.	SCBA shoulder straps adjusted for victim removal.		ıl.					
3.	SCBA waist strap repositioned to prevent displacement. (Converted to a "Harness").							
4.	Rescuer(s) at the victim's head uses SCBA shoulder straps or suitable method for movement of the victim.							
5.	straps or suitable method for movement of the victim. Rescuer at the victim's feet (if applicable) places the victim's leg(s) on their shoulder(s) (Note: the rescuer's shoulders should be positioned as low as possible – between the victim's knees and buttocks). Wide spaces use side by side technique. (one FF on each side of victim, grasping each SCBA shoulder							
5a.	Wide spaces use side by side technique. (one FF on each side of victim, grasping each SCBA shoulder strap)							
5b.	Single firefighter positions ahead firefighter, pulls with SCBA stransport Downed firefighter is pulled on S	ip or rescue strap).					
6.	Victim moved in coordinated effe	ort.						
RETE	ST			RETEST	l			
Appr	COVED BY:			EVALUATOR:				
	ling Criteria: All above tas	_						
			•	Overall S	kill Shee	et Score		
	Evaluator	Date		Pass C Overall S	kill Shee	Fail Test	Score	
	Re-Test Evaluator		-	Pass	7	Fail \Box		

and	idate:				Dat	e:	
	4-4 Fire	fighter La	add	er Reso	cue		
No.	Task Steps		T	First	Test	Retest	
	•			Pass	Fail	Pass	— Fail
1.	Window cleared of all obstructions.						
2.	Victim moved to window for remov	al.					
3.	Victim positioned for removal.						
4.	Ladder and Rescuer on ladder posi receiving victim.	tioned for					
5.	Face up removal – Victim's SCBA	emoved.					
6.	Face up removal – Victim moved to on window sill.	seated position	ı				
7.	ladder rescuer's shoulders. Ladder						
8.	Face up removal – Ladder rescuer : ladder, keeping victim centered bet		е				
9.	Face up removal – Ladder rescuer demonstrates method for maintaining victim control (pins victim						
10.	Face down removal – (SCBA may b	between themselves and ladder). Face down removal – (SCBA may be left on) Victim's feet placed out the window, to one side of the ladder.					
11.	Face down removal – Ladder rescu victims legs over the ladder beam, between the victims legs and grasp beam.	placing arm					
12.	Face down removal – Ladder rescu other arm under the victim's lowes grasps ladder beam.						
13.	Face down removal – Ladder rescu the ladder, keeping victim centered		s.				
14.	Face down removal –Ladder rescue method for maintaining victim cont between themselves and ladder).	er demonstrates	3				
RETE Appr	ST OVED BY:			RETEST EVALUATO	R:		
	ling Criteria: All above task	steps must					
	uator/Candidate Comments	_		_			
vai		•					
			O	verall Ski	ill Sheet So	core	
			Pa	ass \square	Fa	ail 🕅	
	Evaluator	Date				e-Test Scor	
						_	е
	Re-Test Evaluator	Date	Pa	ass	Fa	ail	

Cand	idate:					_ Da	te:	
		4-7 Nance	Dr	·ill				
		Incorporates Ob	jectiv	ve 4-6)				
No.	Task Steps			<u>First</u>	Test	Ret	test _	
				Pass	Fail	Pass	Fail	
1.	Opening identified and sized-up.							
2.	Area around opening reinforced f	or rescuers.						
3.	Handcuff knots correctly tied and	d placed in rope.						
4.	Haul team positioned at corners	of the opening.						
5.	Rescuer places foot in handcuff k	nots for lowering	ŗ.					
6.	Rescuer maintains contact with a lowered.		ŗ					
7.	Haul team lowers rescuer in cont	crolled fashion.						
8.	Rescuer positions victim for remo	oval.						
9.	Rescuer attaches ropes to the vic	tim.						
10.	Rescuer signals haul team for vio							
11.	Rescuer guides victim through opening throughout lift.							
12.	Haul team removes victim to safe	e area.						
13.	Haul team removes ropes from viback to rescuer for removal.	ictim, lowers rop	e					
14.	Rescuer places foot in handcuff k	nots for lifting.						
15.	Haul team removes rescuer to sa	fe area.						
	ST SOVED BY: ling Criteria: All above tas	14	4 1	RETEST EVALUATOR:				
	uator/Candidate Commen	_		Complet	eu.			
			(Overall S	kill Shee	et Score		
	Evaluator	Date	<u> </u>	Pass		Fail		
)verall S	skill Shee	et Re-Test	Score	
	Re-Test Evaluator	Date		Pass Γ	7	Fail \square		

Cand	idate:					_ Dat	e:
		4-8 Denve	r D	rill			
No.	Task Steps			First	Test	Ret	est
				Pass	Fail	Pass	Fail
1.	First rescuer proceeds to feet of th	e victim.					
2.	Victim is placed in supine position						
3.	Victim's SCBA straps are secured harness, time permitting.	for use as a					
4.	First rescuer positions victim for s entry.	First rescuer positions victim for second rescuer's entry.					
5.	Second rescuer positions under the first rescuer.						
6.	Second rescuer places his/her legs	to form a ramp					
7.	Second rescuer grasps bottom of vibottle for lifting.						
8.	First rescuer moves victim in a coowith second rescuer, placing victim possible on second rescuer's legs.						
9.	First rescuer positions under victim, with victim's						
10	legs on his/her shoulders.						
10.	Second rescuer maintains position lifting by the SCBA bottle up, over	and out.					
11.	Both rescuer's move victim up and coordinated effort to third rescuer						
12.	Third rescuer grasps victim's SCB and removes victim out of the wing fashion.	A shoulder stra	ps				
13.	Rescuers maintain low profile on e	entry and exit .					
RETE				RETEST	n.		
	oved By: ling Criteria: All above tasl	z stone must	- ho	EVALUATO			
	uator/Candidate Comments	_					
			(Overall S	kill Shee	et Score	
	Evaluator	Date		Pass Dverall S	kill Shee	Fail C	Score
	Re-Test Evaluator			Pass \Box]	Fail \Box	